

Appendix II

Designated sites and BAP species and habitat in Oxfordshire by District

South Oxfordshire District

UK Biodiversity Action Plan Priority Species

<i>Adonis annua</i>	Pheasants-eye	<i>Lasiommata megera</i>	Wall
<i>Blysmus compressus</i>	Flat-sedge	<i>Limenitis camilla</i>	White Admiral
<i>Campanula rapunculus</i>	Rampion Bellflower	<i>Pyrgus malvae</i>	Grizzled Skipper
<i>Carex vulpina</i>	True Fox Sedge	<i>Satyrrium w-album</i>	White Letter Hairstreak
<i>Centaurea cyanus</i>	Cornflower	<i>Thecla betulae</i>	Brown Hairstreak
<i>Cephalanthera damasonium</i>	White Helleborine	<i>Acronicta psi</i>	Grey Dagger
<i>Clinopodium acinos</i>	Basil Thyme	<i>Acronicta rumicis</i>	Knot Grass
<i>Clinopodium menthifolium</i>	Wood Calamint	<i>Adscita statices</i>	The Forester
<i>Cynoglossum germanicum</i>	Green Hound`s-tongue	<i>Agrochola helvola</i>	Flounced Chestnut
<i>Euphrasia pseudokernerii</i>	Chalk Eyebright	<i>Agrochola litura</i>	Brown-spot Pinion
<i>Filago pyramidata</i>	Broad-leaved Cudweed	<i>Agrochola lychnidis</i>	Beaded Chestnut
<i>Galeopsis angustifolia</i>	Red Hemp-nettle	<i>Allophyes oxyacanthae</i>	Green-brindled Crescent
<i>Gentianella campestris</i>	Field Gentian	<i>Amphipoea oculea</i>	Ear Moth
<i>Iberis amara</i>	Wild Candytuft	<i>Amphipyra tragopoginis</i>	Mouse Moth
<i>Juniperus communis</i>	Juniper	<i>Apamea anceps</i>	Large Nutmeg
<i>Monotropa hypopitys</i>	Yellow Bird`s-nest	<i>Apamea remissa</i>	Dusky Brocade
<i>Muscari neglectum</i>	Grape-hyacinth	<i>Aporophyla lutulenta</i>	Deep-brown Dart
<i>Oenanthe fistulosa</i>	Tubular Water-dropwort	<i>Arctia caja</i>	Garden Tiger
<i>Ophrys insectifera</i>	Fly Orchid	<i>Atethmia centrigo</i>	Centre-barred Sallow
<i>Orchis anthropophora</i>	Man Orchid	<i>Brachylomia viminalis</i>	Minor Shoulder-knot
<i>Orchis simia</i>	Monkey Orchid	<i>Caradrina morpheus</i>	Mottled Rustic
<i>Platanthera bifolia</i>	Lesser Butterfly-orchid	<i>Celaena leucostigma</i>	The Crescent
<i>Pulsatilla vulgaris</i>	Pasqueflower	<i>Diarsia rubi</i>	Small Square-spot
<i>Ranunculus arvensis</i>	Corn Buttercup	<i>Diloba caeruleocephala</i>	Figure Of Eight
<i>Scandix pecten-veneris</i>	Shepherd's Needle	<i>Ennomos erosaria</i>	September Thorn
<i>Scleranthus annuus</i>	Annual Knawel	<i>Ennomos fuscantaria</i>	Dusky Thorn
<i>Stellaria palustris</i>	Marsh Stitchwort	<i>Ennomos quercinaria</i>	August Thorn
<i>Torilis arvensis</i>	Spreading Hedge Parsley	<i>Epirrhoe galiata</i>	Galium Carpet
<i>Viola persicifolia</i>	Fen Violet	<i>Eulithis mellinata</i>	The Spinach
<i>Carabus monilis</i>	Necklace Ground Beetle	<i>Euxoa nigricans</i>	Garden Dart
<i>Cryptocephalus coryli</i>	Hazel Pot Beetle	<i>Graphiphora augur</i>	Double Dart
<i>Gnorimus nobilis</i>	Noble Chafer	<i>Hemistola chrysoprasaria</i>	Small Emerald
<i>Harpalus punctatulus</i>	Set-aside Downy-back	<i>Hepialus humuli</i>	Ghost Moth
<i>Lucanus cervus</i>	Stag Beetle	<i>Hoplodrina blanda</i>	The Rustic
<i>Austropotamobius pallipes</i>	White-clawed freshwater crayfish	<i>Hydraecia micacea</i>	Rosy Rustic
		<i>Lycia hirtaria</i>	Brindled Beauty
<i>Asilus crabroniformis</i>	Hornet robberfly	<i>Malacosoma neustria</i>	The Lackey
<i>Dorycera graminum</i>	Phoenix Fly	<i>Melanchra persicariae</i>	Dot Moth
<i>Bombus ruderarius</i>	Red-shanked Carder-bee	<i>Melanthia procellata</i>	Pretty Chalk Carpet
<i>Chiasmia clathrata</i>	Latticed Heath	<i>Mesoligia literosa</i>	Rosy Minor
<i>Coenonympha pamphilus</i>	Small Heath	<i>Mythimna comma</i>	Shoulder-striped Wainscot
<i>Cupido minimus</i>	Small Blue	<i>Noctua orbona</i>	Lunar Yellow Underwing
<i>Erynnis tages</i>	Dingy Skipper	<i>Orthonama vittata</i>	Oblique Carpet
<i>Eurodryas aurinia</i>	Marsh Fritillary	<i>Orthosia gracilis</i>	Powdered Quaker
<i>Hamearis lucina</i>	Duke of Burgundy	<i>Pelurga comitata</i>	Dark Spinach
<i>Hipparchia semele</i>	Grayling	<i>Perizoma albulata albulata</i>	Grass Rivulet

<i>Polia bombycina</i>	Pale Shining Brown	<i>Crex crex</i>	Corn Crake
<i>Scotopteryx bipunctata</i>	Chalk Carpet	<i>Cuculus canorus</i>	Common Cuckoo
<i>Scotopteryx chenopodiata</i>	Shaded Broad-bar	<i>Cygnus columbianus</i>	Bewick's Swan
<i>Spilosoma lubricipeda</i>	White Ermine	<i>Dendrocopos minor</i>	Lesser Spotted Woodpecker
<i>Spilosoma luteum</i>	Buff Ermine	<i>Emberiza citrinella</i>	Yellowhammer
<i>Tholera cespitis</i>	Hedge Rustic	<i>Emberiza schoeniclus</i>	Reed Bunting
<i>Tholera decimalis</i>	Feathered Gothic	<i>Locustella naevia</i>	Grasshopper Warbler
<i>Timandra comae</i>	Blood-vein	<i>Lullula arborea</i>	Woodlark
<i>Trichiura crataegi</i>	Pale Eggar	<i>Miliaria calandra</i>	Corn Bunting
<i>Tyria jacobaeae</i>	The Cinnabar	<i>Motacilla flava</i>	Yellow Wagtail
<i>Tyta luctuosa</i>	Four-Spotted Moth	<i>Motacilla flava flavissima</i>	Yellow Wagtail
<i>Xanthia gilvago</i>	Dusky-lemon Sallow	<i>Muscicapa striata</i>	Spotted Flycatcher
<i>Xanthia icteritia</i>	The Sallow	<i>Numenius arquata</i>	Curlew
<i>Xanthorhoe ferrugata</i>	Dark-barred Twin-spot Carpet	<i>Parus montanus</i>	Willow Tit
<i>Bembidion quadripustulatum</i>	Scarce Four-dot Pin-palp	<i>Parus palustris</i>	Marsh Tit
<i>Ecliptopera silaceata</i>	Small Phoenix	<i>Passer domesticus</i>	House Sparrow
<i>Lipsothrix nervosa</i>	Southern Yellow Splinter	<i>Passer montanus</i>	Eurasian Tree Sparrow
<i>Pisidium tenuilineatum</i>	Fine-lined Pea Mussel	<i>Perdix perdix</i>	Grey Partridge
<i>Pseudanodonta complanata</i>	Depressed river mussel	<i>Phylloscopus sibilatrix</i>	Wood Warbler
<i>Gyraulus acronicus</i>	Thames Ram`s-horn Snail	<i>Prunella modularis</i>	Dunnock
<i>Harpalus melancholicus</i>	Lagoon Spire Snail	<i>Pyrrhula pyrrhula</i>	Common Bullfinch
<i>Vertigo moulinsiana</i>	Desmoulin's Whorl Snail	<i>Streptopelia turtur</i>	Turtle Dove
<i>Bufo bufo</i>	Common Toad	<i>Sturnus vulgaris</i>	Common Starling
<i>Triturus cristatus</i>	Great Crested Newt	<i>Turdus philomelos</i>	Song Thrush
<i>Anguis fragilis</i>	Slow-worm	<i>Turdus torquatus</i>	Ring Ouzel
<i>Lacerta vivipara</i>	Common Lizard	<i>Vanellus vanellus</i>	Northern Lapwing
<i>Natrix natrix</i>	Grass Snake	<i>Arvicola terrestris</i>	Water Vole
<i>Vipera berus</i>	Adder	<i>Erinaceus europaeus</i>	Hedgehog
<i>Alauda arvensis</i>	Sky Lark	<i>Lepus europaeus</i>	Brown Hare
<i>Anthus trivialis</i>	Tree Pipit	<i>Lutra lutra</i>	Otter
<i>Aythya marila</i>	Greater Scaup	<i>Micromys minutus</i>	Harvest Mouse
<i>Botaurus stellaris</i>	Great Bittern	<i>Musccardinus avellanarius</i>	Dormouse
<i>Burhinus oedicnemus</i>	Stone-curlew	<i>Mustela putorius</i>	Polecat
<i>Caprimulgus europaeus</i>	European Nightjar	<i>Nyctalus noctula</i>	Noctule
<i>Carduelis cannabina</i>	Common Linnet	<i>Pipistrellus pipistrellus 55kHz</i>	55 kHz Pipistrelle
<i>Coccothraustes coccothraustes</i>	Hawfinch	<i>Plecotus auritus</i>	Brown long-eared bat

Biodiversity Action Plan Priority Habitats

Eutrophic standing water	Lowland mixed deciduous woodland
Fens	Lowland wood pastures and parkland
Lowland beech and yew woodland	Reedbeds
Lowland calcareous grassland	Rush pasture and purple moor grass
Lowland dry acid grassland	Traditional Orchards
Lowland heathland	Wet woodland
Lowland meadows	

Designated Sites

Special Areas for Conservation (SACs)

Site Name	Parish
Aston Rowant	Lewknor CP
Chilterns Beechwood	
Hartslock	Goring CP

Little Wittenham

Little Wittenham CP

Sites of Special Scientific Interest (SSSI)

Site Name	Parish
Aston Rowant	Lewknor CP
Aston Rowant Cutting	Lewknor CP
Aston Rowant Woods	Aston Rowant CP
Aston Upthorpe Downs	Blewbury CP, Aston Upthorpe CP
Bear, Oveys and Great Bottom Woods	Highmoor CP
Berins Hill Bank	Ipsden CP
Berrick Trench	Swyncombe CP
Bix Bottom	Swyncombe CP
Brasenose Wood	Horspath CP
Chinnor Hill	Chinnor CP
Culham Brake	Culham CP
Harpsden Wood	Harpsden CP
Hartslock	Goring CP
Holly Wood	Stanton St. John CP
Holton Wood	Holton CP
Knightsbridge Lane	Shirburn CP, Pyrton CP
Lambridge Wood	Rotherfield Greys CP
Little Wittenham	Little Wittenham CP
Moulsford Downs	Moulsford CP
Otmoor	Fencott and Murcott CP
Pishill Woods	Watlington CP, Pishill with Stonor CP
Shabbington Wood Complex	Stanton St. John CP, Waterperry with Thomley CP
Shirburn Hill	Shirburn CP
Shotover Hill	Forest Hill with Shotover CP
Sidlings Copse & College Pond	Beckley and Stowood CP
Stanton Great Wood	Stanton St. John CP
Swyncombe Downs	Swyncombe CP
Warren Bank	Ipsden CP
Waterperry Wood	Waterperry with Thomley CP
Watlington & Pyrton Hills	Pyrton CP, Watlington CP
Woodeaton Wood	Woodeaton CP
Wormsley Chalk Banks	Lewknor CP, Shirburn CP
Spartum Fen	Great Haseley CP

Geological SSSIs

Chinnor Chalk Pit	Chinnor CP
Highlands Farm Pit	Harpsden CP
Littlemore Railway Cutting	Littlemore CP
Littleworth Brick Pit	Wheatley CP
Lyehill Quarry	Holton CP
Priest's Hill	Nettlebed CP
Woodeaton Quarry	Woodeaton CP

Local Wildlife Sites (LWS)

Name	Parish		
Bank by Pindars Wood	Rotherfield Greys	Holly Grove	Highmoor
Beckley Pasture	Beckley and Stowood	Holly Hill (Elmore Park Grassland)	Goring Heath
Bix Bottom Valley	Bix and Assendon	Holton Brook Meadow (central)	Holton
Blackmoor and Barnfield	Shirburn	Holton Brook Meadow (east)	Holton
Hanging Woods		Holton Brook Meadow (south)	Holton
Blewburton Hill	Blewbury	Holton Brook Meadow (west)	Holton
Bottom Farm Bank	Mapledurham	Holton Brook Meadow Extension	Holton
Bottom Wood	Whitchurch	Kents Hill	Harpsden
Bozedown	Whitchurch	Kingswood Common	Rotherfield Peppard
Bozedown Vineyard (north)	Goring Heath	Langtree House Bank	Woodcote
Bozedown Vineyard (south)	Whitchurch	Lollingdon Hill	Cholsey
Buckingham Bottom Meadow	Shirburn	Long Wood	Elsfield
Bypass Swamp	Sandford-on-Thames	Lower Farm bottom hay pasture	Nuneham Courtenay
Clifton Hampden Meadow	Long Wittenham	Lowerhill Farm Wood	Brightwell-cum-Sotwell
Clifton Hampden Wood	Clifton Hampden	Monastic Fish Ponds, South Stoke	South Stoke
Combe Fields (east)	Goring	Monks Wood Grassland	Forest Hill with Shotover
Combe Fields (north)	Goring	Nettlebed Common	Nettlebed
Combe Fields (west)	Goring	Noke Wood & Sling Copse	Noke
Constable's Piece	Beckley	North Unhill Bank	Cholsey
Cookes Copse	Beckley and Stowood	Nuffield Common	Nuffield
Crowsley Park	Shiplake	Nuneham Aboretum	Marsh Baldon
Dean Wood	Woodcote	Oakley Hill	Chinnor
Didcot Marshalling Yard	South Moreton	Old Elvendon, Park and Griggs Woods	Goring Heath, Goring, Woodcote
Didcot to Upton Railway	East Hagbourne, West Hagbourne, Upton	Parklane Shaw	Checkendon
Dorchester Gravel Pits (Allen Pit)	Dorchester	Peppard Common	Rotherfield Peppard
Dorchester Gravel Pits (Drayton Road Pit)	Dorchester	Pishill Bank	Pishill with Stonor
Dorchester Gravel Pits (Queenford Pit)	Dorchester	Pond north of Cholsey Marsh	Cholsey
Dorchester Gravel Pits (Whittles Pit)	Dorchester	Radley Gravel Pits	Radley, Abingdon
Dorchester Meadow	Dorchester	Reading Golf Course (east)	Kidmore End
Easington Fen	Pyrton	Reading Golf Course (west)	Kidmore End
Edge of Nippers Grove	Checkendon	Rush Court	Brightwell-cum-Sotwell
Eversdown	Bix, Assendon	Sandford Brake	Sandford-on-Thames
Ewelme Cress Beds	Ewelme	Shillingford Boathouse Carr	Warborough
Fiddle Hill	Goring	Shillingford Hotel Meadow	Brightwell-cum-Sotwell
Fiddlers Elbow Marsh	Kennington	Shiplake Marsh	Shiplake
Furze Brake	Nuneham Courtenay	South Stoke Marsh (north)	South Stoke
Hammonds Wood and North Grove	Checkendon	Stonor Park (North)	Pishill with Stonor
Hardwick Riverside Pasture	Whitchurch	Stonor Park (south west)	Pishill with Stonor
Hayward's Eyot	Long Wittenham	Straw Hill	Whitchurch
Henley Road Pit	Eye and Dunsden	Tanker's Table Field	Kidmore End
Henton Marsh	Chinnor	Thames Island near Streatley	Goring
Hernes	Rotherfield Greys	Unhill and Ham Woods	Cholsey
Heyford Hill Lane Pasture	Sandford-on-Thames	Upper Park Farm	Beckley and Stowood
Highmoor and Lower Common Wood	Highmoor		

Warren Wood	Shiplake
Watlington Hay Meadow	Watlington
Westford Hill	Mapledurham
Westford Hill Copse	Mapledurham
Whitchurch on Thames Wet Meadow	Whitchurch-on-Thames
Wroxhills Wood	Goring

Cherwell District

UK Biodiversity Action Plan Priority Species

<i>Tolypella intricata</i>	Tassel Stonewort	<i>Lycia hirtaria</i>	Brindled Beauty
<i>Carex vulpina</i>	True Fox Sedge	<i>Malacosoma neustria</i>	The Lackey
<i>Clinopodium acinos</i>	Basil Thyme	<i>Melanchra persicariae</i>	Dot Moth
<i>Clinopodium menthifolium</i>	Wood Calamint	<i>Mesoligia literosa</i>	Rosy Minor
<i>Oenanthe fistulosa</i>	Tubular Water-dropwort	<i>Mythimna comma</i>	Shoulder-striped Wainscot
<i>Pyrus cordata</i>	Plymouth Pear	<i>Noctua orbona</i>	Lunar Yellow Underwing
<i>Ranunculus arvensis</i>	Corn Buttercup	<i>Orthosia gracilis</i>	Powdered Quaker
<i>Scandix pecten-veneris</i>	Shepherd's Needle	<i>Pelurga comitata</i>	Dark Spinach
<i>Sium latifolium</i>	Greater Water Parsnip	<i>Perizoma albulata albulata</i>	Grass Rivulet
<i>Stellaria palustris</i>	Marsh Stitchwort	<i>Scotopteryx chenopodiata</i>	Shaded Broad-bar
<i>Thlaspi perfoliatum</i>	Cotswold Pennycress	<i>Spilosoma lubricipeda</i>	White Ermine
<i>Torilis arvensis</i>	Spreading Hedge Parsley	<i>Spilosoma luteum</i>	Buff Ermine
<i>Carabus monilis</i>	Necklace Ground Beetle	<i>Tholera decimalis</i>	Feathered Gothic
<i>Austropotamobius pallipes</i>	White-clawed freshwater crayfish	<i>Timandra comae</i>	Blood-vein
<i>Bombus ruderarius</i>	Red-shanked Carder-bee	<i>Trichiura crataegi</i>	Pale Eggar
<i>Odynerus melanocephalus</i>	Black-headed Mason-wasp	<i>Tyria jacobaeae</i>	The Cinnabar
<i>Boloria selene</i>	Small Pearl-bordered Fritillary	<i>Xanthia gilvago</i>	Dusky-lemon Sallow
<i>Coenonympha pamphilus</i>	Small Heath	<i>Xanthia ictertia</i>	The Sallow
<i>Cupido minimus</i>	Small Blue	<i>Xanthorhoe ferrugata</i>	Dark-barred Twin-spot Carpet
<i>Erynnis tages</i>	Dingy Skipper	<i>Bembidion quadripustulatum</i>	Scarce Four-dot Pin-palp
<i>Leptidea sinapis</i>	Wood White	<i>Ecliptopera silaceata</i>	Small Phoenix
<i>Limenitis camilla</i>	White Admiral	<i>Pisidium tenuilineatum</i>	Fine-lined Pea Mussel
<i>Pyrgus malvae</i>	Grizzled Skipper	<i>Pseudanodonta complanata</i>	Depressed river mussel
<i>Satyrrium w-album</i>	White Letter Hairstreak	<i>Bufo bufo</i>	Common Toad
<i>Thecla betulae</i>	Brown Hairstreak	<i>Triturus cristatus</i>	Great Crested Newt
<i>Acronicta psi</i>	Grey Dagger	<i>Anguis fragilis</i>	Slow-worm
<i>Acronicta rumicis</i>	Knot Grass	<i>Lacerta vivipara</i>	Common Lizard
<i>Adscita statices</i>	The Forester	<i>Natrix natrix</i>	Grass Snake
<i>Agrochola litura</i>	Brown-spot Pinion	<i>Vipera berus</i>	Adder
<i>Agrochola lychnidis</i>	Beaded Chestnut	<i>Acrocephalus palustris</i>	Marsh Warbler
<i>Allophyes oxyacanthae</i>	Green-brindled Crescent	<i>Alauda arvensis</i>	Sky Lark
<i>Amphipyra tragopoginis</i>	Mouse Moth	<i>Anthus trivialis</i>	Tree Pipit
<i>Apamea anceps</i>	Large Nutmeg	<i>Aythya marila</i>	Greater Scaup
<i>Apamea remissa</i>	Dusky Brocade	<i>Botaurus stellaris</i>	Great Bittern
<i>Aporophyla lutulenta</i>	Deep-brown Dart	<i>Burhinus oediconemus</i>	Stone-curlew
<i>Arctia caja</i>	Garden Tiger	<i>Caprimulgus europaeus</i>	European Nightjar
<i>Atethmia centrigo</i>	Centre-barred Sallow	<i>Carduelis cannabina</i>	Common Linnet
<i>Brachylomia viminalis</i>	Minor Shoulder-knot	<i>Carduelis flavirostris</i>	Twite
<i>Caradrina morpheus</i>	Mottled Rustic	<i>Coccothraustes</i>	Hawfinch
<i>Celaena leucostigma</i>	The Crescent	<i>coccothraustes</i>	
<i>Diarsia rubi</i>	Small Square-spot	<i>Crex crex</i>	Corn Crane
<i>Diloba caeruleocephala</i>	Figure Of Eight	<i>Cuculus canorus</i>	Common Cuckoo
<i>Ennomos fuscantaria</i>	Dusky Thorn	<i>Cygnus columbianus</i>	Bewick's Swan
<i>Eulithis mellinata</i>	The Spinach	<i>Dendrocopos minor</i>	Lesser Spotted Woodpecker
<i>Euxoa nigricans</i>	Garden Dart	<i>Emberiza citrinella</i>	Yellowhammer
<i>Graphiphora augur</i>	Double Dart	<i>Emberiza schoeniclus</i>	Reed Bunting
<i>Heleobia stagnorum</i>	Bordered Gothic	<i>Jynx torquilla</i>	Eurasian Wryneck
<i>Hemistola chrysoprasaria</i>	Small Emerald	<i>Locustella naevia</i>	Grasshopper Warbler
<i>Hepialus humuli</i>	Ghost Moth	<i>Miliaria calandra</i>	Corn Bunting
<i>Hoplodrina blanda</i>	The Rustic	<i>Motacilla flava</i>	Yellow Wagtail
<i>Hydraecia micacea</i>	Rosy Rustic	<i>Motacilla flava flavissima</i>	Yellow Wagtail
		<i>Muscicapa striata</i>	Spotted Flycatcher

<i>Numenius arquata</i>	Curlew	<i>Arvicola terrestris</i>	Water Vole
<i>Parus montanus</i>	Willow Tit	<i>Barbastella barbastellus</i>	Barbastelle Bat
<i>Parus palustris</i>	Marsh Tit	<i>Erinaceus europaeus</i>	Hedgehog
<i>Passer domesticus</i>	House Sparrow	<i>Lepus europaeus</i>	Brown Hare
<i>Passer montanus</i>	Eurasian Tree Sparrow	<i>Lutra lutra</i>	Otter
<i>Perdix perdix</i>	Grey Partridge	<i>Micromys minutus</i>	Harvest Mouse
<i>Prunella modularis</i>	Duncock	<i>Mustela putorius</i>	Polecat
<i>Pyrrhula pyrrhula</i>	Common Bullfinch	<i>Myotis bechsteinii</i>	Bechstein`s Bat
<i>Streptopelia turtur</i>	European Turtle Dove	<i>Nyctalus noctula</i>	Noctule
<i>Sturnus vulgaris</i>	Common Starling	<i>Pipistrellus pipistrellus 55kHz</i>	55 kHz Pipistrelle
<i>Turdus philomelos</i>	Song Thrush	<i>Plecotus auritus</i>	Brown long-eared bat
<i>Turdus torquatus</i>	Ring Ouzel	<i>Rhinolophus hipposideros</i>	Lesser Horseshoe Bat
<i>Vanellus vanellus</i>	Northern Lapwing		

Biodiversity Action Plan Priority Habitats

Coastal and floodplain grazing marsh	Lowland mixed deciduous woodland
Eutrophic standing water	Lowland wood pastures and parkland
Fens	Reedbeds
Lowland calcareous grassland	Rush pasture and purple moor grass
Lowland dry acid grassland	Traditional Orchards
Lowland heathland	Wet woodland
Lowland meadows	

Designated Sites

Special Areas for Conservation (SACs)

Site Name	Parish
Pixey and Yarnton Meads	Gosford and Water Eaton CP

Sites of Special Scientific Interest (SSSI)

Site Name	Parish
Ardley Quarry and Cutting	Ardley CP, Somerton CP, Fritwell CP, Bucknell CP
Arcott Bridge Meadow	Ambrosden CP, Somerton CP
Bestmoor	North Aston CP, Somerton CP
Gravenhill Wood	Ambrosden CP, Merton CP
Hook Norton Cutting & Banks	Hook Norton CP
Murcott Meadows	Horton-cum-Studley CP
Pixey & Yarnton Meads	Gosford and Water Eaton CP
Pixey & Yarnton Meads	Yarnton CP
Rushy Meadows	Kidlington CP
Shabbington Wood Complex	Horton-cum-Studley CP
Wendlebury Meads & Mansmoor Closes	Charlton-on-Otmoor CP, Wendlebury CP,
Weston Fen	Weston-on-the-Green CP
Whitecross Green & Oriel Woods	Horton-cum-Studley CP

Geological SSSI

Horsehay Quarries	Westcot Barton CP, Duns Tew CP
Kirtlington Quarry	Kirtlington CP
Neithrop Fields Cutting	Banbury CP

Sharps Hill Quarry	Hook Norton CP
Shipton-on-Cherwell Quarry	Shipton-on-Cherwell and Thrupp C
Stratton Audley Quarries	Stratton Audley CP

Local Wildlife Sites (LWS)

Name	Parish		
Arcott Wood	Arcott	Hornton Meadows	Hornton
Arthur's Acre (Meadow east of Fencott and Murcott Fencott)		Horsehay Quarry (West)	Duns Tew
Ash Wood	Bletchingdon	Kirtlington Park Lake (south)	Kirtlington
Balscote Quarry	Wroxton	Kirtlington Park Lake(north)	Kirtlington
Barford Marsh	Bloxham	Little Wood	Arcott
Begbroke Wood	Begbroke	Loop Farm Flood Meadows	Gosford and Water Eaton
Berryfields Farm	Hook Norton	Meadow adj to SSSI near Charlton on Otmoor	Fencott and Murcott
Bicester Wetland Reserve	Ambrosden	Meadow east of Fringford	Hethe
Black Leys Wood	Bletchingdon	Meadow Farm, Blackthorn	Piddington
Blackthorn Meadow	Blackthorn	Meadow NW Blackthorn Hill	Blackthorn
Bladon Heath	Bladon	Meadow west of Bestmoor	North Aston
Bletchingdon Quarry	Bletchingdon	Meadows near Charlton on Otmoor	Fencott and Murcott
Bletchingdon Road Verge (East)	Bletchingdon	Meadows south of River Ray	Arcott
Bletchingdon Road Verge South	Hampton Gay and Poyle	Muswell Hill Fields	Piddington
Broughton Park	Broughton	Noke Wood & Sling Copse	Noke
Bunkers Hill Quarry	Shipton-on-Cherwell and Thrupp	North Claydon Disused Railway	Claydon with Clattercot
Cassington to Yarnton Gravel Pits	Cassington and Yarnton	Northbrook Marsh	Tackley / Kirtlington
Church Fields at Cutter's Bridge	Blackthorn	Old LNER Railway	Mixbury
Cookes Copse	Beckley and Stowood	Oxford Airport Meadows (Langford Meadows)	Kidlington
Cottisford Pond	Cottisford	Poodle Gorse	Godington
Cradle and Grounds Farm Banks	Hook Norton	Pool Spinney	Hethe
Cutter's Brook Meadows	Blackthorn	Prattle Wood	Noke
Deddington Mill	Deddington	Rush Spinney	Upper Heyford
Disused Railway west of Chacombe	Wardington	Shenington Hirons Covert	Shenington with Alkerton
Dukes Lock Pond	Gosford and Water Eaton	Shenlow Hill	Shenington with Alkerton
East Otmoor meadow	Fencott and Murcott	Small Field, Paradise Farm	Wigginton / South Newington
Enslow Marsh	Kirtlington / Bletchingdon	Small Meadow, north Otmoor	Fencott and Murcott
Field by River Ray	Arcott	South Newington Meadow	South Newington
Fishponds Wood, Hanwell	Hanwell	South Newington Valley	Milcombe
Gavray Drive Meadows	Bicester	Spilsmere Woods	Newton Purcell with Shelswell
Graven Hill	Ambrosden	Stoke Bushes	Stoke Lyne
Hangland Farm Railway Cutting	Wardington	Stoke Little Wood	Stoke Lyne
Hayfield and Old River Bed	Wigginton / South Newington	Stoke Wood	Stoke Lyne
Hopyard Spinney	Newton Purcell with Shelswell	Stratton Audley Quarries	Stratton Audley
Horley	Wroxton	Swere Bank	Hook Norton
		Temple Mills Quarries	Hook Norton
		The Bretch	North Newington
		The Slinket	Hook Norton
		Trow Pool	Bucknell
		Twelve Acre Copse	Bucknell

Upper Heyford Airfield	Somerton / Ardley / Upper Heyford	Yarnton	
Warmington Fox Covert	Mollington	Wharf Farm Meadows	Souldern
Warmough Copse	Weston-on-the-Green	Wood West of Swerford Park	Hook Norton / Swerford
Wendlebury Ponds	Wendlebury	Wroxton and Balscote Mills	Shutford
Weston Wood	Weston-on-the-Green	Yarnton Sidings	Yarnton
Wet Wood and Swamp near	Yarnton		

West Oxfordshire District UK Biodiversity Action Plan Priority Species

Nitellopsis obtusa	Starry stonewort	Ennomos erosaria	September Thorn
Astragalus danicus	Purple Milk-vetch	Ennomos quercinaria	August Thorn
Calamagrostis stricta	Narrow Small-reed	Euxoa nigricans	Garden Dart
Centaurea cyanus	Cornflower	Graphiphora augur	Double Dart
Cephalanthera damasonium	White Helleborine	Hemistola chrysoprasaria	Small Emerald
Clinopodium acinos	Basil Thyme	Hepialus humuli	Ghost Moth
Clinopodium menthifolium	Wood Calamint	Hoplodrina blanda	The Rustic
Cynoglossum germanicum	Green Hound`s-tongue	Hydraecia micacea	Rosy Rustic
Galeopsis angustifolia	Red Hemp-nettle	Lycia hirtaria	Brindled Beauty
Gentianella anglica	Early Gentian	Malacosoma neustria	The Lackey
Gentianella campestris	Field Gentian	Melanchra persicariae	Dot Moth
Minuartia hybrida	Fine-leaved Sandwort	Melanthia procellata	Pretty Chalk Carpet
Muscari neglectum	Grape-hyacinth	Mesoligia literosa	Rosy Minor
Oenanthe fistulosa	Tubular Water-dropwort	Mythimna comma	Shoulder-striped Wainscot
Polygonatum verticillatum	Whorled Solomon's-seal	Orthosia gracilis	Powdered Quaker
Ranunculus tripartitus	Three-lobed Crowfoot	Pareulype berberata	Barberry Carpet
Sium latifolium	Greater Water Parsnip	Pelurga comitata	Dark Spinach
Stellaria palustris	Marsh Stitchwort	Perizoma albulata albulata	Grass Rivulet
Thlaspi perfoliatum	Cotswold Pennycress	Polia bombycina	Pale Shining Brown
Torilis arvensis	Spreading Hedge Parsley	Scotopteryx chenopodiata	Shaded Broad-bar
Carabus monilis	Necklace Ground Beetle	Spilosoma lubricipeda	White Ermine
Harpalus punctatulus	Set-aside Downy-back	Spilosoma luteum	Buff Ermine
Lucanus cervus	Stag Beetle	Tholera cespitis	Hedge Rustic
Meloe rugosus	Rugged Oil-beetle	Tholera decimalis	Feathered Gothic
	White-clawed freshwater crayfish	Timandra comae	Blood-vein
Austropotamobius pallipes	Small Heath	Tyria jacobaeae	The Cinnabar
Coenonympha pamphilus	Small Blue	Watsonalla binaria	Oak Hook-tip
Cupido minimus	Dingy Skipper	Xanthia icteritia	The Sallow
Erynnis tages	Duke of Burgundy	Xanthorhoe ferrugata	Dark-barred Twin-spot Carpet
Hamearis lucina	Wall	Xestia castanea	Neglected Rustic
Lasiommata megera	Wood White	Bembidion quadripustulatum	Scarce Four-dot Pin-palp
Leptidea sinapis	Grizzled Skipper	Ecliptopera silaceata	Small Phoenix
Pyrgus malvae	White Letter Hairstreak	Pisidium tenuilineatum	Fine-lined Pea Mussel
Satyrrium w-album	Brown Hairstreak	Pseudanodonta complanata	Depressed river mussel
Thecla betulae	Grey Dagger	Bufo bufo	Common Toad
Acronicta psi	Knot Grass	Triturus cristatus	Great Crested Newt
Acronicta rumicis	Brown-spot Pinion	Anguis fragilis	Slow-worm
Agrochola litura	Beaded Chestnut	Lacerta vivipara	Common Lizard
Agrochola lychnidis	Green-brindled Crescent	Natrix natrix	Grass Snake
Allophyes oxyacanthae	Mouse Moth	Vipera berus	Adder
Amphipyra tragopoginis	Large Nutmeg	Alauda arvensis	Sky Lark
Apamea anceps	Dusky Brocade	Anthus trivialis	Tree Pipit
Apamea remissa	Scarce Brown Streak	Aythya marila	Greater Scaup
Aplota palpella	Deep-brown Dart	Botaurus stellaris	Great Bittern
Aporophyla lutulenta	Garden Tiger	Carduelis cannabina	Common Linnet
Arctia caja	Centre-barred Sallow	Coccothraustes	
Atethmia centrigo	Minor Shoulder-knot	coccothraustes	Hawfinch
Brachylomia viminalis	Mottled Rustic	Crex crex	Corn Crake
Caradrina morpheus	Goat Moth	Cuculus canorus	Common Cuckoo
Cossus cossus	Small Square-spot	Cygnus columbianus	Bewick's Swan
Diarsia rubi	Figure Of Eight	Dendrocopos minor	Lesser Spotted Woodpecker
Diloba caeruleocephala		Emberiza citrinella	Yellowhammer

Emberiza schoeniclus	Reed Bunting	Phylloscopus sibilatrix	Wood Warbler
Lanius collurio	Red-backed Shrike	Prunella modularis	Dunnock
Locustella naevia	Grasshopper Warbler	Pyrrhula pyrrhula	Common Bullfinch
Lullula arborea	Woodlark	Streptopelia turtur	European Turtle Dove
Melanitta nigra	Common Scoter	Turdus philomelos	Song Thrush
Miliaria calandra	Corn Bunting	Turdus torquatus	Ring Ouzel
Motacilla flava	Yellow Wagtail	Vanellus vanellus	Northern Lapwing
Motacilla flava flavissima	Yellow Wagtail	Arvicola terrestris	Water Vole
Muscicapa striata	Spotted Flycatcher	Erinaceus europaeus	Hedgehog
Numenius arquata	Curlew	Lepus europaeus	Brown Hare
Parus montanus	Willow Tit	Lutra lutra	Otter
Parus palustris	Marsh Tit	Muscardinus avellanarius	Dormouse
Passer domesticus	House Sparrow	Nyctalus noctula	Noctule
Passer montanus	Eurasian Tree Sparrow	Pipistrellus pygmaeus	Soprano Pipistrelle
Perdix perdix	Grey Partridge	Rhinolophus ferrumequinum	Greater Horseshoe Bat

Biodiversity Action Plan Priority Habitats

Eutrophic standing water	Lowland mixed deciduous woodland
Fens	Lowland wood pastures and parkland
Lowland beech and yew woodland	Reedbeds
Lowland calcareous grassland	Rush pasture and purple moor grass
Lowland dry acid grassland	Traditional Orchards
Lowland meadows	Wet woodland

Designated Sites

Special Areas for Conservation (SACs)

Site Name	Parish
Cassington Meadows	Cassington

Sites of Special Scientific Interest (SSSI)

Site Name	Parish
Alvescot Meadow	Alvescot CP
Blenheim Park	Blenheim CP, Bladon CP
Bould Wood	Fifield CP, Idbury CP
Cassington Meadows	Cassington CP
Chimney Meadows	Aston, Cote, Shifford and Chimne
Ducklington Mead	Ducklington CP
Glyme Valley	Enstone CP, Chipping Norton CP
Holly Court Bank	North Leigh CP
Langley's Lane Meadow	Standlake CP
Little Tew Meadows	Little Tew CP
Middle Barton Fen	Steeple Barton CP
Out Wood	Kiddington with Asterleigh CP
Reed Hill	Fawler CP
Sarsgrove Wood	Churchill CP, Sarsden CP
Sheeps Banks	Wootton CP
Stonesfield Common, Bottoms & Banks	Combe CP, Stonesfield CP
Sturt Copse	North Leigh CP
Taynton Quarries	Taynton CP
The Saltway, Ditchley	Spelsbury CP

Westwell Gorse	Westwell CP
Whitehill Wood	North Leigh CP
Worsham Lane	Minster Lovell CP
Wychwood Forest	Cornbury and Wychwood CP, Finstock CP

Geological SSSI

Ditchley Road Quarry	Charlbury CP
Horsehay Quarries	Westcot Barton CP
Long Hanborough Gravel Pit	Hanborough CP
Stanton Harcourt	Stanton Harcourt CP
Stonesfield Slate Mines	Stonesfield CP, Fawler CP
Shipton-on-Cherwell and Whitehill Farm Quarries	Tackley CP

Local Wildlife Sites (LWS)

Name	Parish		
Acrey Pits	Cassington	Holly Grove and Coneygar Copse	North Leigh
Ashford Bridge to Combe Cutting (Cotswold Line)	North Leigh and Combe	Hollybank Marsh	Wootton
Bank north of Fordwells	Leafield	Home Farm Ponds	Rousham
Bank south of Cleveley	Enstone	Home Wood	Hardwick-with-Yelford
Barleypark Wood	Ducklington	Hucks Copse	Brize Norton
Bladon Heath	Bladon	Kings and Wootton Woods	Wootton
Boy's Wood	Hardwick-with-Yelford	Lady Grove	Finstock
Bridgefield Bank & Brake	Combe	Langland Farm Meadows, Finstock	Finstock
Bruern Woods	Bruern	Lew Gorse	Lew
Burford Wet Grassland	Fulbrook	Lidstone Bottom	Enstone
Burleigh Wood	Cassington	Long Mead	Eynsham
Carterton school grassland	Carterton	Lower Farm Meadow	Spelsbury
Cassington Gravel Pits South (Smiths Pits)	Cassington	Maggots Grove Wood	Crawley
Cassington to Yarnton Gravel Pits	Cassington and Yarnton	Manor Farm Meadow	Alvescot
Cogges Wood	South Leigh	Manor Farm Meadow	Crawley
Coldron Mill Complex	Spelsbury	Meadow at Besbury Lane	Churchill
Coombe Fen	Combe	Minster Lovell Bank	Minster Lovell
Crawley Marsh	Curbridge	Minster Lovell Marsh	Asthall
Crawley Mead	Minster Lovell	Minster Lovell Meadows	Minster Lovell
Dean	Spelsbury	Mouldens Wood and Davis Copse	Ducklington
Dean Bottom	Fulbrook	Nethercott Meadow (Crecy Hill LNR)	Tackley
Dean Grove	Spelsbury	Newbarn Farm Pastures	Spelsbury
Disused Pit north of Standlake	Standlake	North Leigh Common	North Leigh
Dix Pit	Stanton Harcourt	Northbrook Marsh	Tackley / Kirtlington
Dunster Meadow	Standlake	Oakham Quarry	Rollright
Enslow Marsh	Kirtlington / Bletchingdon	Old Gravel Pit near Little Faringdon	Little Faringdon
Farmoor Reservoir	Cumnor	Ovens Gorse	Heythrop
Finstock Valley - NE section	Finstock	Palmers Bank	Fawler
Foxhill Bottom, Asthall Leigh Valley	Asthall	Park Cottage Hayfield	Ramsden
Glympton Valley	Glympton	Pasture near Spelsbury	Spelsbury
Grassland near Chalford Oaks	Enstone	Phalaris bed W. of Woodford Bridge	Enstone
Grimes Meadow (Witney Marsh)	Witney	Pinsley Wood	Hanborough
		Priory Mill Ponds	Over Norton

Priory Wood	Heythrop		Poggs
Pumping Station Meadow	Minster Lovell	Topples Wood	Finstock
River Glyme	Wootton	Valley near Chuch Enstone	Enstone
Shifford Chimney Meadows	Aston Bampton and Shifford	Valley west of Great Tew	Little Tew
South Freeland Meadows	Freeland	West Woods, Eynsham Hall Park	North Leigh
Swere Bank	Hook Norton	West of Abel Wood	Hanborough
Swinbrook Watercress Beds	Swinbrook and Widford	Whiteways Quarry	Enstone
Tackley Heath	Tackley	Widley Copse	Swinbrook and Widford
Tackley Railway Cutting	Tackley	Wigwell	Charlbury
Tangley Woods	Buern	Willow Meadows	Alvescot
Tar Wood	South Leigh	Wood West of Swerford Park	Hook Norton / Swerford
Taston Springs	Spelsbury	Wootton Jubille Fields	Wootton
Taynton Bushes	Buern	Worcester Hill Bank and Marshes	Wootton
Taynton Down Quarry	Taynton	Worsham Meadows	Asthall
Thames Island west of Farmoor	Cumnor	Worton Wood	Worton
The Bog	Filkins and Broughton		

Vale of White Horse District

UK Biodiversity Action Plan Priority Species

<i>Caloplaca luteoalba</i>	Orange-Fruited Elm-Lichen	<i>Arctia caja</i>	Garden Tiger
<i>Apium repens</i>	Creeping Marshwort	<i>Atethmia centrago</i>	Centre-barred Sallow
<i>Carex vulpina</i>	True Fox Sedge	<i>Blepharita adusta</i>	Dark Brocade
<i>Centaurea cyanus</i>	Cornflower	<i>Brachylomia viminalis</i>	Minor Shoulder-knot
<i>Cephalanthera damasonium</i>	White Helleborine	<i>Caradrina morpheus</i>	Mottled Rustic
<i>Clinopodium acinos</i>	Basil Thyme	<i>Catocala sponsa</i>	Dark Crimson Underwing
<i>Filago pyramidata</i>	Broad-leaved Cudweed	<i>Celaena leucostigma</i>	The Crescent
<i>Galeopsis angustifolia</i>	Red Hemp-nettle	<i>Cosmia diffinis</i>	White-spotted Pinion
<i>Galium pumilum</i>	Slender Bedstraw	<i>Diarsia rubi</i>	Small Square-spot
<i>Gentianella anglica</i>	Early Gentian	<i>Diloba caeruleocephala</i>	Figure Of Eight
<i>Gentianella campestris</i>	Field Gentian	<i>Ennomos erosaria</i>	September Thorn
<i>Juniperus communis</i>	Juniper	<i>Ennomos fuscantaria</i>	Dusky Thorn
<i>Mentha pulegium</i>	Pennyroyal	<i>Ennomos quercinaria</i>	August Thorn
<i>Minuartia hybrida</i>	Fine-leaved Sandwort	<i>Eulithis mellinata</i>	The Spinach
<i>Oenanthe fistulosa</i>	Tubular Water-dropwort	<i>Euxoa nigricans</i>	Garden Dart
<i>Ranunculus arvensis</i>	Corn Buttercup	<i>Graphiphora augur</i>	Double Dart
<i>Scandix pecten-veneris</i>	Shepherd's Needle	<i>Heleobia stagnorum</i>	Bordered Gothic
<i>Silene gallica</i>	Small-flowered Catchfly	<i>Hemistola chrysoprasaria</i>	Small Emerald
<i>Stellaria palustris</i>	Marsh Stitchwort	<i>Hepialus humuli</i>	Ghost Moth
<i>Carabus monilis</i>	Necklace Ground Beetle	<i>Hoplodrina blanda</i>	The Rustic
<i>Meloe rugosus</i>	Rugged Oil-beetle	<i>Hydraecia micacea</i>	Rosy Rustic
<i>Austropotamobius pallipes</i>	White-clawed freshwater crayfish	<i>Lycia hirtaria</i>	Brindled Beauty
<i>Bombus muscorum</i>	Moss Carder-bee	<i>Malacosoma neustria</i>	The Lackey
<i>Bombus ruderatus</i>	Large Garden Bumblebee	<i>Melanchra persicariae</i>	Dot Moth
<i>Cerceris quinquefasciata</i>	Five-banded Weevil-wasp	<i>Melanthia procellata</i>	Pretty Chalk Carpet
<i>Argynnis adippe</i>	High Brown Fritillary	<i>Mesoligia literosa</i>	Rosy Minor
<i>Boloria euphrosyne</i>	Pearl-bordered Fritillary	<i>Mythimna comma</i>	Shoulder-striped Wainscot
<i>Chiasmia clathrata</i>	Latticed Heath	<i>Orthonama vittata</i>	Oblique Carpet
<i>Coenonympha pamphilus</i>	Small Heath	<i>Orthosia gracilis</i>	Powdered Quaker
<i>Cupido minimus</i>	Small Blue	<i>Pareulype berberata</i>	Barberry Carpet
<i>Erynnis tages</i>	Dingy Skipper	<i>Pechipogo strigilata</i>	Common Fan-foot
<i>Eurodryas aurinia</i>	Marsh Fritillary	<i>Pelurga comitata</i>	Dark Spinach
<i>Hamearis lucina</i>	Duke of Burgundy	<i>Perizoma albulata albulata</i>	Grass Rivulet
<i>Lasiommata megera</i>	Wall	<i>Polia bombycina</i>	Pale Shining Brown
<i>Leptidea sinapis</i>	Wood White	<i>Scotopteryx chenopodiata</i>	Shaded Broad-bar
<i>Limenitis camilla</i>	White Admiral	<i>Spilosoma lubricipeda</i>	White Ermine
<i>Pyrgus malvae</i>	Grizzled Skipper	<i>Spilosoma luteum</i>	Buff Ermine
<i>Satyrrium w-album</i>	White Letter Hairstreak	<i>Tholera cespitis</i>	Hedge Rustic
<i>Thymelicus acteon</i>	Lulworth Skipper	<i>Tholera decimalis</i>	Feathered Gothic
<i>Acrionicta psi</i>	Grey Dagger	<i>Timandra comae</i>	Blood-vein
<i>Acrionicta rumicis</i>	Knot Grass	<i>Trichiura crataegi</i>	Pale Eggar
<i>Agrochola helvola</i>	Flounced Chestnut	<i>Tyria jacobaeae</i>	The Cinnabar
<i>Agrochola litura</i>	Brown-spot Pinion	<i>Tyta luctuosa</i>	Four-Spotted Moth
<i>Agrochola lychnidis</i>	Beaded Chestnut	<i>Watsonalla binaria</i>	Oak Hook-tip
<i>Aleucis distinctata</i>	Sloe Carpet	<i>Xanthia gilvago</i>	Dusky-lemon Sallow
<i>Allophyes oxyacanthae</i>	Green-brindled Crescent	<i>Xanthia icteritia</i>	The Sallow
<i>Amphipoea oculea</i>	Ear Moth	<i>Xanthorhoe ferrugata</i>	Dark-barred Twin-spot Carpet
<i>Amphipyra tragopoginis</i>	Mouse Moth	<i>Xestia ashworthii</i>	Ashworth`s Rustic
<i>Apamea anceps</i>	Large Nutmeg	<i>Xylena exsoleta</i>	Sword-Grass
<i>Apamea remissa</i>	Dusky Brocade	<i>Coenagrion mercuriale</i>	Southern Damselfly
<i>Aporophyla lutulenta</i>	Deep-brown Dart	<i>Bembidion quadripustulatum</i>	Scarce Four-dot Pin-palp
		<i>Chesias legatella</i>	The Streak

<i>Ecliptopera silaceata</i>	Small Phoenix	<i>Limosa limosa limosa</i>	Black-tailed Godwit
<i>Lipsothrix nervosa</i>	Southern Yellow Splinter	<i>Locustella naevia</i>	Grasshopper Warbler
<i>Pisidium tenuilineatum</i>	Fine-lined Pea Mussel	<i>Melanitta nigra</i>	Common Scoter
<i>Pseudanodonta complanata</i>	Depressed river mussel	<i>Miliaria calandra</i>	Corn Bunting
<i>Sciota hostilis</i>	Scarce Aspen Knot-horn	<i>Motacilla flava</i>	Yellow Wagtail
<i>Sitticus caricis</i>	Sedge Jumper	<i>Motacilla flava flavissima</i>	Yellow Wagtail
<i>Myxas glutinosa</i>	Glutinous Snail	<i>Muscicapa striata</i>	Spotted Flycatcher
<i>Vertigo moulinsiana</i>	Desmoulin's Whorl Snail	<i>Numenius arquata</i>	Curlew
<i>Anguilla anguilla</i>	European eel	<i>Parus montanus</i>	Willow Tit
<i>Bufo bufo</i>	Common Toad	<i>Parus palustris</i>	Marsh Tit
<i>Bufo calamita</i>	Natterjack Toad	<i>Passer domesticus</i>	House Sparrow
<i>Triturus cristatus</i>	Great Crested Newt	<i>Passer montanus</i>	Eurasian Tree Sparrow
<i>Anguis fragilis</i>	Slow-worm	<i>Perdix perdix</i>	Grey Partridge
<i>Lacerta vivipara</i>	Common Lizard	<i>Phylloscopus sibilatrix</i>	Wood Warbler
<i>Natrix natrix</i>	Grass Snake	<i>Prunella modularis</i>	Dunnock
<i>Vipera berus</i>	Adder	<i>Pyrhula pyrrhula</i>	Common Bullfinch
<i>Alauda arvensis</i>	Sky Lark	<i>Stercorarius parasiticus</i>	Arctic Skua
<i>Anthus trivialis</i>	Tree Pipit	<i>Sterna dougallii</i>	Roseate Tern
<i>Aythya marila</i>	Greater Scaup	<i>Streptopelia turtur</i>	European Turtle Dove
<i>Botaurus stellaris</i>	Great Bittern	<i>Sturnus vulgaris</i>	Common Starling
<i>Burhinus oedicephalus</i>	Stone-curlew	<i>Turdus philomelos</i>	Song Thrush
<i>Carduelis cannabina</i>	Common Linnet	<i>Turdus torquatus</i>	Ring Ouzel
<i>Carduelis flavirostris</i>	Twite	<i>Vanellus vanellus</i>	Northern Lapwing
<i>Coccothraustes coccothraustes</i>	Hawfinch	<i>Arvicola terrestris</i>	Water Vole
<i>Cuculus canorus</i>	Common Cuckoo	<i>Barbastella barbastellus</i>	Barbastelle Bat
<i>Cygnus columbianus</i>	Bewick's Swan	<i>Erinaceus europaeus</i>	Hedgehog
<i>Dendrocopos minor</i>	Lesser Spotted Woodpecker	<i>Lepus europaeus</i>	Brown Hare
<i>Emberiza cirlus</i>	Cirl Bunting	<i>Lutra lutra</i>	Otter
<i>Emberiza citrinella</i>	Yellowhammer	<i>Micromys minutus</i>	Harvest Mouse
<i>Emberiza schoeniclus</i>	Reed Bunting	<i>Mustela putorius</i>	Polecat
<i>Gavia arctica</i>	Black-throated Diver	<i>Nyctalus noctula</i>	Noctule
<i>Jynx torquilla</i>	Eurasian Wryneck	<i>Pipistrellus pipistrellus 55kHz</i>	55 kHz Pipistrelle
<i>Lanius collurio</i>	Red-backed Shrike	<i>Plecotus auritus</i>	Brown long-eared bat

Biodiversity Action Plan Priority Habitats

Eutrophic standing water	Lowland mixed deciduous woodland
Fens	Lowland wood pastures and parkland
Lowland beech and yew woodland	Reedbeds
Lowland calcareous grassland	Traditional Orchards
Lowland dry acid grassland	Wet woodland
Lowland meadows	

Designated Sites

Special Areas for Conservation (SACs)

Site Name	Parish
Cothill Fen	Besselsleigh CP, St Helen Without CP, Marcham CP
Hackpen Hill	Childrey CP

Sites of Special Scientific Interest (SSSI)

Site Name	Parish
Appleton Lower Common	Appleton-with-Eaton CP

Ashdown Park	Ashbury CP
Aston Upthorpe Downs	Blewbury CP
Barrow Farm Fen	Marcham CP
Buckland Warren	Buckland CP
Chimney Meadows	Aston, Cote, Shifford and Chimney CP
Cothill Fen	Besselsleigh CP, St Helen Without CP, Marcham CP
Dry Sandford Pit	St. Helen without CP
Fernham Meadows	Uffington CP, Fernham CP
Frilford Heath Ponds & Fens	Frilford CP, Fyfield and Tubney CP, Marcham CP
Grafton Lock Meadow	Eaton Hastings CP
Hackpen, Warren and Gramp's Hill Downs	Childrey CP
Hurst Hill	Cumnor CP
Iffley Meadows	Kennington CP
Lashford Lane Fen	Besselsleigh CP
Pixey & Yarnton Meads	Gosford and Water Eaton CP
Tuckmill Meadows	Shrivenham CP, Watchfield CP
Whitehorse Hill	Uffington CP, Woolstone CP
Wytham Ditches & Flushes	Wytham CP, Cumnor CP
Wytham Woods	Wytham CP, Cumnor CP
Hackpen, Warren and Gramp's Hill Downs	Letcombe Bassett CP

Geological SSSIs

Cumnor	Cumnor CP
Lamb & Flag Quarry	Hinton Waldrist CP
Shellingford Cross Roads Quarry	Stanford in the Vale CP
Sugworth	Radley CP
Wicklesham & Coxwell Pits	Great Faringdon CP, Great Coxwell CP

Local Wildlife Sites (LWS)

Name	Parish		
Above Lids Bottom	Blewbury	Castlehill	Letcombe Regis
Appleton Upper Common	Appleton-with-Eaton	Chaslins Copse	Shellingford
Ashen Pen	Wantage	Chawley footpath	Cumnor
Badbury Forest - Eaton Wood	Great Faringdon	Cherbury Camp	Charney Bassett
Bagley Wood	Kennington	Chilswell Valley	South Hinksey
Beech Wood, Westcot Down	Sparsholt	Chilton Disused railway line	Blewbury
Besselsleigh Common Wood	Besselsleigh and Appleton	Chinaman Copse	Hatford
Black Bushes Wood	Wantage	Cowslip Meadow	East Hanney
Blewburton Hill	Blewbury	Coxwell Wood	Great Coxwell
Blewbury Hill	Blewbury	Crog Hill and Scary Hill	Kingston Lisle
Buckland Marsh (east)	Buckland	Didcot to Upton Railway	East Hagbourne, West Hagbourne, Upton
Buckland Warren Woods	Buckland	Faringdon Wet Meadow	Great Faringdon
Buscot Park Lake	Buscot	Farmoor Reservoir	Cumnor
Bushey Leaze Copse	Cumnor	Fiddlers Elbow Marsh	Kennington
		Gozzards Ford Fen	Marcham

Harcourt Hill Scrub	North Hinksey	Memorial Garden	Wootton
Hutchins's Copse	Ardington	Middle and Hailey Woods	Ashbury
Ilsley Bottom	Ardington	Newhouse Cover	Longworth
Kennington Memorial Field	Kennington	Odstone Coombes	Ashbury
Kennington Pool	Kennington	Odstone Hill Lane	Ashbury
Kingston Down	Ashbury	Pasture near Chawley	Cumnor
Kingstone Coombes	Ashbury	Pennyhooks Brook Marsh	Shrivenham
Kingstone Warren Down (north)	Uffington	Pigtrough Bottom	Childrey
Kingstone Warren Down (south)	Woolstone	Radley Gravel Pits	Radley, Abingdon
Knollend Down	East Hendred	Radley Large Wood	Radley
Knollend Grassland	Ardington	Radley Little Wood	Radley
Lattin Down, Lockinge	Lockinge	Shifford Chimney Meadows	Aston Bampton and Shifford
Letcombe Cress Beds	Letcombe Regis	Smith Hill Copse	Cumnor
Letcombe Reed Swamp	Letcombe Regis	Taylor's Hill Annexe	Eaton Hastings
Limekiln Copse and Valley	South Hinksey	Thames Island west of Farmoor	Cumnor
Lincombe Lane Field	Sunningwell	The Cuttings	Ardington
Long Copse	Cumnor	Tubney Woods	Fyfield and Tubney
Long Leys Farm Meadows	Cumnor	Turf Pits Covert	Pusey
Long Mead	Eynsham	Upper Black Bushes	Wantage
Long Spinney Copse	Kingston Lisle	Upper Wood	Ashbury
Lyde Copse	Shellingford	Wixen Bush	Sparsholt
Marcham Salt Spring	Marcham		

Oxford City UK Biodiversity Action Plan Priority Species

<i>Clinopodium acinos</i>	Basil Thyme	<i>Pisidium tenuilineatum</i>	Fine-lined Pea Mussel
<i>Clinopodium menthifolium</i>	Wood Calamint	<i>Pseudanodonta complanata</i>	Depressed river mussel
<i>Galium pumilum</i>	Slender Bedstraw	<i>Bufo bufo</i>	Common Toad
<i>Oenanthe fistulosa</i>	Tubular Water-dropwort	<i>Triturus cristatus</i>	Great Crested Newt
<i>Ranunculus arvensis</i>	Corn Buttercup	<i>Anguis fragilis</i>	Slow-worm
<i>Sium latifolium</i>	Greater Water Parsnip	<i>Lacerta vivipara</i>	Common Lizard
<i>Dorycera graminum</i>	Phoenix Fly	<i>Natrix natrix</i>	Grass Snake
<i>Chiasmia clathrata</i>	Latticed Heath	<i>Vipera berus</i>	Adder
<i>Coenonympha pamphilus</i>	Small Heath	<i>Acrocephalus palustris</i>	Marsh Warbler
<i>Lasiommata megera</i>	Wall	<i>Alauda arvensis</i>	Sky Lark
<i>Satyrium w-album</i>	White Letter Hairstreak	<i>Botaurus stellaris</i>	Great Bittern
<i>Thecla betulae</i>	Brown Hairstreak	<i>Caprimulgus europaeus</i>	European Nightjar
<i>Acronicta psi</i>	Grey Dagger	<i>Carduelis cannabina</i>	Common Linnet
<i>Acronicta rumicis</i>	Knot Grass	<i>Coccothraustes</i>	Hawfinch
<i>Agrochola litura</i>	Brown-spot Pinion	<i>coccothraustes</i>	
<i>Agrochola lychnidis</i>	Beaded Chestnut	<i>Cuculus canorus</i>	Common Cuckoo
<i>Allophyes oxyacanthae</i>	Green-brindled Crescent	<i>Cygnus columbianus</i>	Bewick's Swan
<i>Amphipoea oculaea</i>	Ear Moth	<i>Dendrocopos minor</i>	Lesser Spotted Woodpecker
<i>Amphipyra tragopoginis</i>	Mouse Moth	<i>Emberiza citrinella</i>	Yellowhammer
<i>Apamea anceps</i>	Large Nutmeg	<i>Emberiza schoeniclus</i>	Reed Bunting
<i>Apamea remissa</i>	Dusky Brocade	<i>Jynx torquilla</i>	Eurasian Wryneck
<i>Arctia caja</i>	Garden Tiger	<i>Locustella naevia</i>	Grasshopper Warbler
<i>Atethmia centrigo</i>	Centre-barred Sallow	<i>Miliaria calandra</i>	Corn Bunting
<i>Caradrina morpheus</i>	Mottled Rustic	<i>Motacilla flava flavissima</i>	Yellow Wagtail
<i>Celaena leucostigma</i>	The Crescent	<i>Muscicapa striata</i>	Spotted Flycatcher
<i>Diarsia rubi</i>	Small Square-spot	<i>Numenius arquata</i>	Curlew
<i>Ennomos erosaria</i>	September Thorn	<i>Parus montanus</i>	Willow Tit
<i>Ennomos fuscantaria</i>	Dusky Thorn	<i>Parus palustris</i>	Marsh Tit
<i>Ennomos quercinaria</i>	August Thorn	<i>Passer domesticus</i>	House Sparrow
<i>Eulithis mellinata</i>	The Spinach	<i>Passer montanus</i>	Eurasian Tree Sparrow
<i>Euxoa nigricans</i>	Garden Dart	<i>Perdix perdix</i>	Grey Partridge
<i>Hemistola chrysoprasaria</i>	Small Emerald	<i>Phylloscopus sibilatrix</i>	Wood Warbler
<i>Hoplodrina blanda</i>	The Rustic	<i>Prunella modularis</i>	(uncock
<i>Hydraecia micacea</i>	Rosy Rustic	<i>Pyrrhula pyrrhula</i>	Common Bullfinch
<i>Lycia hirtaria</i>	Brindled Beauty	<i>Streptopelia turtur</i>	European Turtle Dove
<i>Malacosoma neustria</i>	The Lackey	<i>Sturnus vulgaris</i>	Common Starling
<i>Melanchra persicariae</i>	Dot Moth	<i>Turdus philomelos</i>	Song Thrush
<i>Mesoligia literosa</i>	Rosy Minor	<i>Turdus torquatus</i>	Ring Ouzel
<i>Mythimna comma</i>	Shoulder-striped Wainscot	<i>Vanellus vanellus</i>	Northern Lapwing
<i>Orthonama vittata</i>	Oblique Carpet	<i>Arvicola terrestris</i>	Water Vole
<i>Orthosia gracilis</i>	Powdered Quaker	<i>Erinaceus europaeus</i>	Hedgehog
<i>Pelurga comitata</i>	Dark Spinach	<i>Lutra lutra</i>	Otter
<i>Scotopteryx chenopodiata</i>	Shaded Broad-bar	<i>Mustela putorius</i>	Polecat
<i>Spilosoma lubricipeda</i>	White Ermine	<i>Pipistrellus pipistrellus</i> 55kHz	55 kHz Pipistrelle
<i>Spilosoma luteum</i>	Buff Ermine	<i>Plecotus auritus</i>	Brown long-eared bat
<i>Timandra comae</i>	Blood-vein		
<i>Trichiura crataegi</i>	Pale Eggar		
<i>Tyria jacobaeae</i>	The Cinnabar		
<i>Xanthia icteritia</i>	The Sallow		
<i>Xanthorhoe ferrugata</i>	Dark-barred Twin-spot Carpet		
<i>Ecliptopera silaceata</i>	Small Phoenix		
<i>Lipsothrix nervosa</i>	Southern Yellow Splinter		

Biodiversity Action Plan Priority Habitats

Eutrophic standing water
 Fens
 Lowland meadows
 Lowland mixed deciduous woodland
 Lowland wood pastures and parkland
 Reedbeds
 Wet woodland

Designated Sites

Special Areas for Conservation (SACs)

Site Name	Parish
Oxford Meadows	Wolvercote Ward, West Ward

Sites of Special Scientific Interest (SSSI)

Site Name	Parish
Brasenose Wood	Horspath CP
Hook Meadow & Trap Grounds	Wolvercote Ward
Iffley Meadows	South Ward, East Ward
Littlemore Railway Cutting	Littlemore CP
Lye Valley	Wood Farm Ward
Magdalen Grove	Central Ward
Magdalen Quarry	Quarry Ward
New Marston Meadows	Old Marston CP, Central Ward
Pixey & Yarnton Meads	Wolvercote Ward
Port Meadow with Wolvercote Common & Green	Wolvercote Ward, West Ward
Rock Edge Quarry	Wood Farm Ward
Wolvercote Meadows	Wolvercote Ward

Local Wildlife Sites (LWS)

Name	Parish
Binsey Green	West Ward
Canalside Meadow/Oxford Canal Marsh	Wolvercote Ward
Cowley Marsh	East Ward
Great Meadow	Central Ward
Long Meadow	St Clements Ward
Magdalen Meadow	Central Ward
Meadow north of Goose Green	Wolvercote Ward
Medley Copse	West Ward
Open Magdalen	Woodfarm Ward
Pasture by A34 Thames Bridge/Godstow Bridge Meadow	West Ward
Sandford Brake	Sandford-on-Thames
St Hilda's College Meadow	Central Ward
University Parks	Central Ward
West Cowleys (Meadow next to Wolvercote SSSI)	Wolvercote Ward